


RENNSTEIG TOOLS, INC.

PRODUCT NAME

Rennsteig Crimping Die Set & Locator for Staubli|Multi-Contact "MC4" terminals



Measurements in Millimeter.


SPECIFICATION

P/N	Description	Application	Terminal P/N	Capacity	Applicable for
624 1718 3 0	Die Set	Staubli Multi-Contact "MC4"	PV-BP4/5 Sn, PV-SP4/5 Sn	AWG 10 ADC / 7 strands	Rennsteig Crimp System Tools
624 1718 0 01	Locator	Staubli Multi-Contact "MC4"	PV-BP4/5 Sn, PV-SP4/5 Sn	AWG 10 ADC / 7 strands	Rennsteig Crimp System Tools

CRIMP SPECIFICATION

Core Crimp

Terminal	Wire Size	Crimp height CCH (mm)	Crimp width CCW (mm)	Pull out force (N) DIN EN 60352-2
PV-BP4/5 Sn, PV- SP4/5 Sn	AWG 10 (4.97 mm ²)	2.95 ± 0.1	4.48 ± 0.05	355 (nominal)




The above terminal drawing is a generic terminal representation. It is not an image of a terminal listed in the scope.

RENNSTEIG TOOLS, INC.

PRODUCT NAME

Rennsteig Crimping Die Set & Locator for Staubli|Multi-Contact "MC4" terminals



Measurements in Millimeter.


SPECIFICATION

P/N	Description	Application	Terminal P/N	Capacity	Applicable for
624 1719 3 0	Die Set	Staubli Multi-Contact "MC4"	PV-BP4/5 Sn, PV-SP4/5 Sn	AWG 12 ADC / 7 strands	Rennsteig Crimp System Tools
624 1719 0 01	Locator	Staubli Multi-Contact "MC4"	PV-BP4/5 Sn, PV-SP4/5 Sn	AWG 12 ADC / 7 strands	Rennsteig Crimp System Tools

CRIMP SPECIFICATION

Core Crimp

Terminal	Wire Size	Crimp height CCH (mm)	Crimp width CCW (mm)	Pull out force (N) DIN EN 60352-2
PV-BP4/5 Sn, PV- SP4/5 Sn	AWG 12 (3.36 mm ²)	2.58 ± 0.1	4.44 ± 0.05	311 (nominal)



The above terminal drawing is a generic terminal representation. It is not an image of a terminal listed in the scope.